

Print ISSN 2219-9764
Online ISSN 2617-8982



Diyala Journal of Medicine

Vol. 23 Issue 2
December 2022

 www.djm.uodiyala.edu.iq
 editor@djm.uodiyala.edu.iq

مجلة دورية محكمة صادرة عن
كلية الطب - جامعة ديالى



*DJM**Diyala Journal of Medicine**Published by College of Medicine - Diyala University of Diyala - Diyala - Iraq.
Editorial Board***Editor in Chief****Professor Dr. Nadhim Ghazal Noaman**PhD, MFPH in Community Medicine - Head of Community Medicine Department - College of Medicine - University of Diyala
drnadhim@yahoo.com**Editor Manager****Assistant Professor Dr. Anfal Shakir Motib**PhD in Molecular Biology – Department of Microbiology- College of Medicine - University of Diyala
anfal_shaker@yahoo.com**Editorial Board****Professor Dr. Ismail Ibrahim Latif**PhD in Clinical Immunity- Dean of College of Medicine - University of Diyala
ismail_6725@yahoo.com**Professor Dr. Ghanim Mustafa Al-Sheikh**PhD in Human Neurosciences - Imperial College London –UK
alsheikhg@gmail.com**Professor Dr. Karim Alwan Mohamed**PhD in Pathology and Forensic Medicine - Head of Pathology Unit - Faculty of Medicine- SEGi University –Malaysia
jashamy@yahoo.com**Professor Dr. Talib Jawad Kadhum**PhD in Anatomy-Department of Anatomy-College of Medicine - University of Diyala
talibjwd@yahoo.com**Professor Dr. Saad Muhmood Hussain Arraki**Board in Surgery – Newcastle University Medicine- Malaysia
DrSaad1961@gmail.com**Professor Dr. Adel Hassan Mohammed**Board in Medicine - Department of Medicine - College of Medicine - University of Diyala
adel_alhusseiny@yahoo.com**Professor Dr. Amer Dawood Majeed**PhD in Medical Physics -Vice Dean of Scientific Affairs - College of Medicine -University of Diyala
amer_dmk@yahoo.com**Professor Dr. Zuhair Maroof Hussain**PhD in Biochemistry – Department of Biochemistry - College of Medicine - University of Diyala
zuhair@medicine.uodiyala.edu.iq**Professor Dr. Mehdi Shamkhi Gebir**Board in Pediatrics - Department of Pediatrics - College of Medicine - University of Diyala
meh_sh2000@yahoo.com**Professor Dr. Suad Muslih Al-deen Abdul Majeed**PhD in Medical Physics - Department of Physiology - College of Medicine - University of Diyala.
Su_m_ph_62@yahoo.com**Professor Dr. Salwa Sh. Abdul-Wahid**PhD in Community Medicine - Community Department - College of Medicine - University of Diyala
s_sh_abdulwahid@yahoo.co.uk**Professor Dr. Salih Mahdi Salman**PhD in Organic Chemistry – Department of Pharmaceutical- College of Medicine - University of Diyala
salih@medicine.uodiyala.edu.iq**Professor Dr. Kamile Marakoglu**

PhD in Family Medicine -College of Medicine - University of Selcuk-Konya-Turkey

Professor Dr. Aydin beyatliPhD in Ophthalmologist Medicine- Ankara University- Turkey
aydinbeyatli@hotmail.com**Professor Dr. Marwan Salih Al-Nimer**PhD in Pharmacology and Therapeutics- College of Medicine - University of Diyala
marwanalimer@yahoo.com**Assistant Professor Dr. Muqdad Fuad Abdulkareem**Board in Surgery - Department of Surgery- College of Medicine- University of Diyala
muqdadfuad@yahoo.com**Assistant Professor Dr. Fayeze Alghofaili**PhD in Medical Microbiology - Department of medical Laboratory Sciences - College of Applied sciences -University of Majmaah-Saudi Arabia
F.alghofaily@mu.edu.sa**Assistant Professor Dr. Melike Emiroglu**PhD in Child Health and Diseases- College of Medicine - University of Selcuk-Konya-Turkey
mkeser17@gmail.com**Dr. Omer Layth Qassid**FRCPath(UK) IFCAP(USA)- University of Leicester-Consultant Histopathologist-The university hospitals of Leicester – United Kingdom
Omer.qassid@uhl-tr.nhs.uk**DJM Design****Programmer. Marwa Raid Hameed**marwa@djm.uodiyala.edu.iq**Correspondence:** DJM Office/ Medical College/ Diyala University/ PO Box (2) Baquba office/ Baquba/ Diyala/ Iraq.**E-mail:** djm.diyala@yahoo.com , editor@djm.uodiyala.edu.iq

Instruction to Authors

Papers are accepted on the understanding that the subject matter has not and will not be submitted simultaneously to another journal. The following notes are expected to be considered carefully in writing manuscripts:-

1- The manuscript including figures and tables should be submitted on line to <http://djm.uodiyala.edu.iq/index.php/djm/about/submissions> Or as an attachment to djm.diyala@yahoo.com .

2- Manuscripts must be accompanied by a covering letter signed by all authors that the paper has not been published and will not be submitted to another journal if accepted in the Iraqi Medical Journal.

3- The title page should include:

Title of the paper is in Arabic and English

Correct first name, middle name and family name of all authors in Arabic and English as well as a maximum of two highest academic degrees for each author.

Name (s) and address (es) of the institution (s) where the work was carried out.

The name and address of the author responsible for correspondence together with telephone number, fax number and e-mail address (if any).

4- Abstract for original articles should contain a structured abstract of not more than 200 words in Arabic and English. Abstract heading include: background, objectives, Methods, Results, and conclusions. Abstracts in Arabic and English of review articles and case reports should be unstructured and of not more than 150 words.

5- Three to ten keywords should be provided on the same page as the abstract in English and Arabic. As far as possible, the keywords should be selected from the national library of medicine, medical subject headings.

6- The main text of the original article should be divided into section, each section should be started on a new page after the title page:

- **Introduction:** is should state clearly the purpose and rationale of the study.
- **Methods:** should include selection of subjects, identification of the methods, apparatus and chemicals used and include statistical analysis.
- **Results:** They presented in a logical sequence preferably with tables and illustrations emphasizing in the text only the important observation.
- **Discussion:** it emphasizes new findings of the study, implications and reference to other relevant studies.
- **Acknowledgement:** it is only to persons who have made substantive contribution to the study.
- **Conflict of interest:**
- **Source of Funding:**
- **Ethical Clearance:**
- **References:** should be in the Vancouver style. They should appear in the text by numbers in the order. List all authors when six or less; when seven or more, list only first six and add et al. journal titles should be abbreviated in accordance with Index Medicus. Examples of correct reference forms are given as follows:

Al-Salihi AR, Hasson EH, Al-Azzawi HT. A short review of snakes in Iraq with special reference to venomous snake bite and their treatment. *Iraqi Med J* 1987; 36:57-60.

Book chapter: Pen AS. Immunological features of myasthenia gravis. In: Aguayo AJ, Karapti G, editors. *Topics in nerves and muscle research*. 31st ed. Amsterdam: Experta Medica; 1975. p. 123-32.

7- Illustration: Photographs unmounted on glossy paper should be provided with magnification scale if appropriate. Lettering should be in either leterset or stencil of comparable size. Illustration should be marked on the back with the figure number, title of the paper and name (s) of the author (s) with soft pencil. All photographs, graphs and diagrams should be referred to as figures and should be numbered consecutively in the text. The legends to illustration should be typed on a separate

sheet. Tables should be numbered consecutively in the text in and each typed on a separate sheet. Vertical lines normally will not be printed.

8- Measurements are preferably expressed in SI (standard international) units.

9- Authors are advised to follow the Webster's collegiate dictionary in spelling.

10- Articles and abstracts which written in Arabic should follow the unified medical dictionary (council of Arab ministers of health/WHO/Arab medical union/ALESCO, 3rd edition)

11- Use only SI standard abbreviations in the title and abstract. The full term for which the abbreviations stand should precede its first use the text.

12- After the manuscripts has been accepted for publication, authors are required to supply the final version of the manuscript on CD IBM compatible disc in MS word 1997-2003 and more.

13- Page proof will be sent to the corresponding author for proof correction. Major alterations from the text cannot be accepted.

14- Through sending the manuscripts, authors from outside Iraq are requested to send upon acceptance of the paper, a publishing charge of 150 ID is required. For authors from Iraq, the total charge is 120\$ on sending the article.

No.	Paper Title	Page
1	Needle stick injuries and their safety measures among nurses in Erbil Hospitals Ameer Talab Ali , Samir M Othman	1-13
2	Patient Satisfaction among Different Age Groups Who Underwent Aesthetic and Functional Rhinoplasty in Sulaymaniyah Saman S Sabir , Falah A Hawrami, Zanyar M Amin	14-26
3	Level of Heavy Metals and Pathogenic Bacteria in Tap Water of Rusafa side Hospitals in Baghdad Hamed Khadem Zgair	27-36
4	The prevalence and outcome of covid-19 smell problems at Kurdistan Iraq Samar Abdul-Hamid Ibrahim , Abdulkhaliq Emin	37-46
5	A comparative study on the effects of intranasal silicone splints and silastic sheets on breathing post septal surgeries Osamah Sabeeh Jasim , Arsalan Awlla Mustafa	47-57
6	Assessment of Liver Function among Patients with Rheumatoid Arthritis Versus Patients with Psoriatic Arthritis Treated by Methotrexate Berevan Nozad Adham , Shwan Kader Media	58-68
7	Impact of Primary Hypothyroidism on Rheumatoid Arthritis Patients Marwa Abduwahab Muhammed , Shwan Kader Media	69-77
8	A Study on Pain and Hemodynamic Parameters in Minor Gynecological Procedures: Propofol – Fentanyl Vs. Ketamine – Midazolam Dena Sameer Najeeb, Bnar Halko Ahmed	78-87
9	Prevalence of anti-BK polyomavirus IgG in A Sample of Iraqi renal transplant recipients Ghufran Hammoodi Abed , Wisam Mahdi alsaeed , Mustafa Rasul Hussein , Asmaa Baqer Al-Obaidi , Ahmed Sattar Abood , Mohammad A H Al-Dabagh	88-94
10	Failure to thrive and it's Risk factors among children under 5 years old in Al-Batool Teaching Hospital in Baquba city Nadia Abdul Kareem Mahawi , Shahab Ahmed Shakir , Mehdi Shamkhi Gebir	95-106
11	Clinical and Ultrasonographic evaluation of patients with Trochanteric Bursitis Ibtihal Hikmet Hameed , Dashti A AlBustany	107-119
12	The role of anti-TPO as an additional analytical marker in thyroid disease patients in Erbil City Ronja Shawkat Kawther, Rebaz Tahir Lak, Sahar Mohammed Zaki Abdullah	120-130
13	Evaluation and Comparison the Effectiveness of Remifentanyl, Nitroglycerin, Esmolol, and Nitroglycerin + Esmolol on Blood Pressure And Heart Rate During Rhinoplasty Surgery Mohammad Aydin Abbas , Orhan ULUDAG	131-151
14	Molecular detection of static magnetic field forces on uropathogenic Escherichia coli number and fermentation activities Amanj Jamal Azeez , Fouad Hussein Kamel	152-161
15	Analysis of Intracranial Meningioma Recurrence after Surgical Management Nashwan Nashat Mawlood Al-saffar, Imad Khaleel Hammood	162-174

Level of Heavy Metals and Pathogenic Bacteria in Tap Water of Rusafa side Hospitals in Baghdad

Hameda Khadem Zgair (PhD)¹

¹ Rusafa Third Directorate of Education, Ministry of education, Baghdad, Iraq

Abstract

OPEN ACCESS

Correspondence Address: Hameda Khadem Zgair

Rusafa Third Directorate of Education, Ministry of education, Baghdad, Iraq

Email: hamedazgair@gmail.com

Copyright: ©Authors, 2022, College of Medicine, University of Diyala. This is an open access article under the [CC BY 4.0](https://creativecommons.org/licenses/by/4.0/) license

(<http://creativecommons.org/licenses/by/4.0/>)

Website

:<https://djm.uodiyala.edu.iq/index.php/djm>

Received: 17 July 2022

Accepted: 1 September 2022

Published: 25 December 2022

Background: The quality of drinking water supplied to hospitals is directly related to the quality of health services provided to people.

Objective: To assess the chemical and microbial standards provided to four public hospitals on Baghdad's eastern side.

Patients and Methods: In this study, 100 water samples were collected from water taps supplied to hospitals. Scientific methods were followed to collect samples in clean, sterile bottles. The chemophysical characteristics of the collected water samples were estimated (Hospital Imam Ali, Martyr Al-Sadr Hospital, Ibn Al Balady Maternity & Children's Hospital, Fatmih Alzahraa Maternity Hospital). In addition, the contamination of water with fecal-coliform bacteria was estimated.

Results: In this study, 100 water samples were collected from water taps supplied to hospitals. Scientific methods were followed to collect samples in clean, sterile bottles. The chemophysical characteristics of the collected water samples were estimated (Hospital Imam Ali, Martyr Al-Sadr Hospital, Ibn Al Balady Maternity & Children's Hospital, Fatmih Alzahraa Maternity Hospital). In addition, the contamination of water with fecal-coliform bacteria was estimated.

Conclusion: It can be concluded from the current study that the quality of water supplied to the hospitals covered by the study was within the standard level of physiochemical specifications. In addition, all samples were free of fecal-coliform bacteria, which indicates that the water supplied to the hospitals is not contaminated with feces.

Keywords: Baghdad city, Fecal coliform, Public hospitals, Physiochemical, Tap water

Introduction

Water quality has a direct impact on public health. Water quality has a significant impact on the occurrence of many diseases and epidemics. As a result, maintaining good drinking water quality specifications will have a positive impact on the health of those who consume water [1]. The World Health

Organization (WHO) emphasizes the importance of water education, as it is an important factor in transmitting many diseases, and it has published a number of periodicals in which it has set appropriate standards for drinking water [2]. The commitment of environmental and municipal

institutions to these specifications reflects the level of health care in cities. The standards adopted by the WHO focus on the chemical specifications of water in addition to the microbial contamination of water [2]. Many studies have shown a direct correlation between the level of microbial contamination of water and the spread of dangerous epidemics [3].

The quality of water is not only related to the health aspect but is also related to the economic aspect, as water pollution can pressure and affect the health system, which will therefore affect the budgets of countries, especially in Iraq, since health care in Iraq is sponsored by the state. In addition to what has already been stated, the spread of water-related epidemics has an impact on the production of fish, farms, poultry, and cows, which has a direct impact on the economies of countries [4-6].

Paying attention to the quality of the water that is distributed to the houses is important and is especially important to hospitals. This is because hospitals are the places where injured people are treated, in the cleaning, the labs, and surgery rooms; and water is associated with most of the health activities in the hospital, as it is used for washing and


organizing hospital facilities. As a result, the quality of water supplied to hospitals has a significant impact on the level of health care provided [7, 8].

There have been very few studies on the specifications and quality of water supplied to hospitals. In addition, the current study focused on a number of hospitals located in the most crowded areas in the city of Baghdad, which are inhabited by low-income people. In other words, the contamination in these hospitals will greatly affect the health care system in Iraq. Therefore, our study aims to shed light on the quality and specifications of the water supplied to four hospitals, which are located on the Rusafa side of Baghdad, and these areas are characterized by large population density.

Patients and Methods

Study area

The study included four hospitals on Baghdad's northeastern outskirts, specifically to the east of Al-Qanat. The four hospitals are either inside or on the outskirts of Al-Sadr City, which has a very high population density and a low economic level. Figure (1) depicts the location of the hospitals included in the study in relation to Al-Sadr City and Baghdad in general.



Figure(1): The location of the four hospitals (Hospital Imam Ali, Martyr Al-Sadr Hospital, Ibn Al Balady Maternity & Children's Hospital, Fatmih Alzahraa Maternity Hospital) were included in the study in relation to Sadr City and Baghdad in general

Sample Collection

One hundred tap water samples were collected from four main public hospitals (Al-Sadar City Hospital, Imam Ali, Martyr Al-Sadr Hospital, Ibn Al Balady Maternity & Children's Hospital, Fatmih Alzahraa Maternity Hospital) were included in the current study. Twenty-five samples were collected from the hospitals. The tap was sterile by flame before sample collection. It was 50 ml of tap water, which was collected in a sterilized screw universal glass. The water was transferred immediately to the lab for chemical, physical, and microbiological

examination. The samples were collected from October 2021 to February 2022.

Bacteriological examination

The standard method of Al-Bayatti *et al*, (2012) was followed to isolate and identify bacterial isolates from tap water samples [9]. Total bacterial species were determined by standard coliform fermentation technique including presumptive, confirmed, and completed tests [Guidelines for Drinking]. For identification of pathogenic enteric bacteria water samples were spread on nutrient agar, macConkey agar, blood agar, eosin-methylene blue agar (EMB), and thiosulfate citrate bile sucrose agar (TCBS)

medium. The plates were incubated overnight at 37°C, and after incubation, cultures were examined for distinct colonies.

Physical and Chemical Tests

The standard method of AL-Dulaimi and Younes, (2017) was followed to check the pH, Total hardness, and concentrations of Chloride, Nitrite, Nitrate, Sulfite, Sulfate, Calcium, Magnesium, Iron, Lead, and Phosphate [10].

Drinking water guidelines

World Health Organization guidelines (2017) were used to identify the quality of tap water in SADR City, Baghdad, Iraq, because it is widely used by various countries and is used to determine the quality of drinking water.

Statistical Analysis

All values have been used to give a mean value and the standard deviation has been

calculated. The differences were analyzed by using Student’s t-test and chi-square tests, employing Origin version 8.0 software. A value of $P < 0.05$ was considered to be statistically significant.

Results

Physiochemical parameters and Bacteriological contains tap water

Table (1) shows the average values of chemical and physical specifications of tap water collected from different hospitals in Rusafa, Baghdad, Iraq. Table 1 demonstrates that all values were within the normal levels determined by WHO published reports, confirming that the water supplied through the pipe network within the study area was within acceptable levels that did not negatively affect the public health of its consumers.

Table (1): Mean values of the physiochemical parameters of tap water from different districts in Baghdad and the WHO limits

	Physical and chemical parameters	Mean ± SD (different districts of east Baghdad city).	WHO GUIDELINES*
1	pH	7.5 ± 0.2	6.6-8.5
2	Chloride, mg/L	181.75 ± 12.3	250
3	Total hardness, mg/L	584.425 ± 87	500 ppm as CaCO ₃
4	Nitrite, mg/L	0.065 ± 0.009	3
5	Nitrate, mg/L	1,225 ± 0.13	50
6	Sulfite, mg/L	26.25 ± 3.4	—
7	Sulfate, mg/L	356.825 ± 28.4	500
8	Calcium, mg/L	62.5 ± 11.2	—
9	Magnesium, mg/L	18.7 ± 2.1	—
10	Iron, µg/L	92.275 ± 13.2	300
11	Lead, µg/L	0.0375 ± 0.0089	0.1
12	Phosphate mg/ml	0.3225 ± 0.09	1

The current study showed that out of 100 tap water samples collected from four hospitals on the Rusafa side of Baghdad, four samples only gave positive results to the bacterial isolation test. All the bacterial isolates were

non-fecal coliforms. The positive samples were in the samples collected from Martyr Al-Sadr Hospital (two isolates), Hospital Imam Ali (one isolate), and Fatmih Alzahraa Maternity Hospital (one isolate).

The results of this study confirm that the microbial contamination that occurred in some areas of the study was caused by cracks and erosion in some drinking water distribution pipes, and fortunately, this erosion was far from the sewage network, so the contamination that occurred was from soil

near the corroded pipes. The study showed that the quality of water collected from Hospital Imam Ali Table (2) was within the standard ranges of the WHO, except the total hardness was higher than the standard levels of the WHO. The level of chloride was lower than that seen in the other hospitals covered in the present study.

Table (2): Mean values of the physiochemical parameters of tap water collected from Hospital Imam Ali

	Physical and chemical parameters	Mean ± SD (different districts of east Baghdad city).	WHO GUIDELINES*
1	pH	7.45 ± 0.18	6.6-8.5
2	Chloride, mg/L	179 ± 19	250
3	Total hardness, mg/L	590.9 ± 110	500 ppm as CaCO ₃
4	Nitrite, mg/L	0.07 ± 0.007	3
5	Nitrate, mg/L	1.32 ± 0.67	50
6	Sulfite, mg/L	27.5 ± 4	—
7	Sulfate, mg/L	349.6 ± 65	500
8	Calcium, mg/L	63.2 ± 7.3	—
9	Magnesium, mg/L	19.9 ± 4.3	—
10	Iron, µg/L	95.7 ± 8.9	300
11	Lead, µg/L	0.034 ± 0.002	0.1
12	Phosphate mg/ml	0.4 ± 0.07	1

The physiochemical parameters of tap water collected from the Martyr Al-Sadr Hospital are shown in Table (2). All parameters were in line with the standard levels of WHO except for the total hardness, which was higher than the standard level of total hardness shown in WHO guidelines. The pH

level in the tap water collected in this hospital was higher than the pH level of the tap water collected from other hospitals included in the current study. The other parameters were at a normal level, proving the standard quality of water supplied to this hospital.

Table (3): Mean values of the physicochemical parameters of tap water collected from Martyr Al-Sadr Hospital

	Physical and chemical parameters	Mean ± SD (different districts of east Baghdad city).	WHO GUIDELINES*
1	pH	7.6 ± 1.1	6.6-8.5
2	Chloride, mg/L	186 ± 20.1	250
3	Total hardness, mg/L	580.3 ± 89.7	500 ppm as CaCO ₃
4	Nitrite, mg/L	0.08 ± 0.01	3
5	Nitrate, mg/L	0.98 ± 0.12	50
6	Sulfite, mg/L	23.6 ± 3.4	—
7	Sulfate, mg/L	371.4 ± 19.4	500
8	Calcium, mg/L	60.6 ± 7.3	—
9	Magnesium, mg/L	18.8 ± 4.2	—
10	Iron, µg/L	90.4 ± 21	300
11	Lead, µg/L	0.04 ± 0.0098	0.1
12	Phosphate mg/ml	0.3 ± 0.078	1

Table (4) shows the physicochemical parameters of tap water collected from Ibn Al Balady Maternity & Children's Hospital. All parameters measured in the present study were within the standard levels published by the WHO, except that the total hardness (580.3 ± 89.7) was higher than the standard

level that was shown by the WHO guidelines (500 ppm). Otherwise, all other parameters were in line with the standard levels which proves that the water supplied to Ibn Al Balady Maternity & Children's Hospital was within the standard quality.

Table (4): Mean values of the physicochemical parameters of tap water collected from Ibn Al balady Maternity & Children's Hospital

	Physical and chemical parameters	Mean ± SD (different districts of east Baghdad city).	WHO GUIDELINES*
1.	pH	7.5 ± 0.13	6.6-8.5
2.	Chloride, mg/L	180 ± 18.9	250
3.	Total hardness, mg/L	578.9 ± 58.8	500 ppm as CaCO ₃
4.	Nitrite, mg/L	0.07 ± 0.0089	3
5.	Nitrate, mg/L	1.1 ± 0.12	50
6.	Sulfite, mg/L	25.1 ± 6.2	—
7.	Sulfate, mg/L	350.5 ± 89.4	500
8.	Calcium, mg/L	65.7 ± 9.4	—
9.	Magnesium, mg/L	17.9 ± 3.1	—
10.	Iron, µg/L	89 ± 14.3	300
11.	Lead, µg/L	0.05 ± 0.0087	0.1
12.	Phosphate mg/ml	0.24 ± 0.098	1

The physiochemical parameters of tap water collected from Fatmih alzahraa Maternity Hospital were shown in table 5. The studied parameters measured in the present study were matching with the guidelines of the WHO as shown in table 5, except the total hardness (587.6 ± 45.2) was higher than the standard level that shown by the WHO guidelines (500 ppm).

The results confirm that the water supplied to the main hospitals at al-Rusafa and Baghdad City was of good quality. The results showed that there is no significant difference in the specification of water supplied to all hospitals ($P > 0.05$). That is why there is a high similarity in the specifications of water supplied to all hospitals.

Table (5): Mean values of the physiochemical parameters of tap water collected from Fatmih alzahraa Maternity Hospital

	Physical and chemical parameters	Mean \pm SD (different districts of east Baghdad city).	WHO GUIDELINES*
1	pH	7.45 ± 0.18	6.6-8.5
2	Chloride, mg/L	182 ± 11.1	250
3	Total hardness, mg/L	587.6 ± 45.2	500 ppm as CaCO ₃
4	Nitrite, mg/L	0.04 ± 0.005	3
5	Nitrate, mg/L	1.5 ± 0.078	50
6	Sulfite, mg/L	28.8 ± 3.6	—
7	Sulfate, mg/L	355.8 ± 30.1	500
8	Calcium, mg/L	60.5 ± 4.2	—
9	Magnesium, mg/L	18.2 ± 1.02	—
10	Iron, μ g/L	94 ± 5.56	300
11	Lead, μ g/L	0.026 ± 0.0013	0.1
12	Phosphate mg/ml	0.35 ± 0.02	1

Discussion

Several studies have confirmed the direct correlation between the quality of water supplied to hospitals and the quality of public health. The quality of water affects the level of health service provided by hospitals, and therefore, the contamination of water supplied to hospitals will negatively and significantly affect the level of health care as well as the control of communicable diseases [8].

The current study included a survey of the quality of tap water supplied through the pipes to four major public hospitals in the most crowded places in the city of Baghdad. As the study site was four hospitals were

located either inside Al-Sadr City or on the out of the city, which is known for its large population density and low economic level for its residents. The current study sheds light on the main physiochemical characteristics, as well as the level of contamination with fecal microbes. The study showed that despite the old pipe network, as well as the cracks in it, the physiochemical water specifications were within the standard specifications approved by the WHO. The study also showed that the water supplied to hospitals was not contaminated with fecal bacteria, as the diagnosed microbial contamination was due to contamination with non-fecal bacteria. This confirms that the

water supplied to these hospitals is not contaminated with feces, which supports that the specifications of the water supplied to the hospitals included in the study were within the specifications and ranges allowed by the World Health Organization.

The present study is the pioneer study, as the focus on the quality of water supplied to the hospital in Baghdad is very scanty that is why we could not able to compare the present study with the previous similar study. But the previous study done by other investigators about the quality of water in Baghdad showed data similar to the data present in the current study [11-13].

One of the most important reasons that reduced the presence of indicators of contamination of drinking water supplied to hospitals by fecal enteric bacteria is the high level of chlorine that was estimated in water supplied to hospitals [14, 15]. The high levels of chlorine play a major role in eliminating pathogenic microorganisms, especially fecal bacteria, as fecal bacteria are isolated from humans and animals [16]. Fecal bacteria are characterized by having low resistance to chlorine as compared with environmental bacteria in soil and water, which have adapted to hard environmental conditions [17-19]. This explains the isolation of non-fecal coliform bacteria in the drinking water supplied to these hospitals.

Conclusions

It can be concluded from the current study that the specifications and qualifications of water supplied to public hospitals, which are located in the most crowded places in Baghdad, fall within the standard specifications granted by it, which confirms that the water supplied to hospitals in the city

of Baghdad is considered acceptable according to the specifications set by the World Health Organization.

Recommendations

The outcome of the current study recommends that the study has to cover more hospitals on both sides of Baghdad. We also recommend that future studies should be included private hospitals and laboratories.

Source of funding: Self-funding study.

Ethical clearance: The study was approved by the ethical clearance of the ministry of health in Baghdad, Iraq.

Conflict of interest: Nil

References

- [1] Tong H, Li Z, Hu X, Xu W, Li Z. Metals in Occluded Water: A New Perspective for Pollution in Drinking Water Distribution Systems. *Int J Environ Res Public Health*. 2019 Aug 16(16):284910.
- [2] Guidelines for Drinking-Water Quality: Fourth Edition Incorporating the First Addendum. Geneva: World Health Organization; 2017.
- [3] Osiero MM, Ogendi GM, M'Erumba C. Microbial Quality of Drinking Water and Prevalence of Water-Related Diseases in Marigat Urban Centre, Kenya. *Environ Health Insights*. 2019 Mar 14;13:1178630219836988.
- [4] Zuccarello P, Manganelli M, Oliveri Conti G, Copat C, Grasso A, Cristaldi A, De Angelis G, Testai E, Stefanelli M, Vichi S, Fiore M, Ferrante M. Water quality and human health: A simple monitoring model of toxic cyanobacteria growth in highly variable Mediterranean hot dry environments. *Environ Res*. 2021 Jan;192:110291.
- [5] Nguyen TTT, Foyosal MJ, Fotedar R, Gupta SK, Siddik MAB, Tay CY. The Effect

- of Two Dietary Protein Sources on Water Quality and the Aquatic Microbial Communities in Marron (*Cherax cainii*) Culture. *Microb Ecol.* 2021 Aug;82(2):299-308.
- [6]Giammarino M, Quatto P. Nitrates in drinking water: relation with intensive livestock production. *J Prev Med Hyg.* 2015;56(4):E187-9.
- [7]Panta G, Richardson AK, Shaw IC. Quality of water for reprocessing of medical devices in healthcare facilities in Nepal. *J Water Health.* 2021 Aug;19(4):682-686.
- [8]Nakayama H, Kawaguchi K, Kato A, Morishima H, Nagashima G, Yagioka S, Asakura T, Tanaka S, Tanaka Y. [Quality Control of Medical Instruments and Cleaning Water]. *No Shinkei Geka.* 2019 Aug;47(8):845-850.
- [9]Al-Bayatti KK, Al-Arajy KH, Al-Nuaemy SH. Bacteriological and physicochemical studies on Tigris River near the water purification stations within Baghdad Province. *J Environ Public Health.* 2012;2012:695253.
- [10]AL-Dulaimi GA, Younes MK. Assessment of Potable Water Quality in Baghdad City, Iraq. *Air, Soil and Water Research.* January 2017.
- [11]Flaieh, H.M., Mohammed-Ridha, M.J., Abdul-Ahad, M.Y. Assessing Tigris River Water Quality in Baghdad City Using Water Quality Index and Multivariate Statistical Analysis. *Int. J. Engineering Sci. Res. Technol.* 2014, 3(7):687-699.
- [12]Abdul Jabar, M.A.B., Thabit, J.A. Chemical Pollution Risks for Many Drinking Water Sources in Baghdad City, Iraq. *Pol. J. Environ. Stud.* 2021;30(2):1203–1214.
- [13]Al-Adili AS, Maatooq JS. (2008). Hydrochemical study of Rain Water In Baghdad city-Iraq. *Eng.&Tech.* 26 (4): 408.
- [14]Fisher I, Kastl G, Sathasivan A. New model of chlorine-wall reaction for simulating chlorine concentration in drinking water distribution systems. *Water Res.* 2017 Nov 15;125:427-437.
- [15]Bertelli C, Courtois S, Rosikiewicz M, Piriou P, Aeby S, Robert S, Loret JF, Greub G. Reduced Chlorine in Drinking Water Distribution Systems Impacts Bacterial Biodiversity in Biofilms. *Front Microbiol.* 2018 Oct 23;9:2520.
- [16]Valério E, Santos ML, Teixeira P, Matias R, Mendonça J, Ahmed W, Brandão J. Microbial Source Tracking as a Method of Determination of Beach Sand Contamination. *Int J Environ Res Public Health.* 2022 Jun 28;19(13):7934.
- [17]Luo LW, Wu YH, Yu T, Wang YH, Chen GQ, Tong X, Bai Y, Xu C, Wang HB, Ikuno N, Hu HY. Evaluating method and potential risks of chlorine-resistant bacteria (CRB): A review. *Water Res.* 2021 Jan 1;188:116474. doi: 10.1016/j.watres.2020.116474. Epub 2020 Sep 28. PMID: 33039832
- [18]de Lambert JR, Walsh JF, Scher DP, Firmstahl AD, Borchardt MA. Microbial pathogens and contaminants of emerging concern in groundwater at an urban subsurface stormwater infiltration site. *Sci Total Environ.* 2021 Jun 25;775:145738.
- [19]Zhong D, Zhou Z, Ma W, Ma J, Feng W, Li J, Du X. Antibiotic enhances the spread of antibiotic resistance among chlorine-resistant bacteria in drinking water distribution system. *Environ Res.* 2022 Aug;211:113045.

مستوى المعادن الثقيلة والبكتريا المرضية في الماء الصافي لمستشفيات جانب الرصافة في بغداد

د. حميدة كاظم زغير¹

الملخص

خلفية الدراسة: الدراسة الحالية تركز الضوء على ارتباط جودة مياه الشرب المقدمة للمستشفيات ارتباطاً مباشراً بجودة الخدمة الصحية المقدمة للناس.

اهداف الدراسة: لتقييم المواصفات الكيميائية والميكروبية المقدمة لأربعة مستشفيات عامة في الجانب الشرقي من بغداد . **المرضى والطرائق:** في هذه الدراسة ، تم جمع ١٠٠ عينة مياه من صنابير المياه التي تم توفيرها للمستشفيات. تم اتباع الطرق العلمية لجمع العينات في زجاجيات نظيفة ومعقمة. ومن ثم تم تقدير الخصائص الفيزيائية و الكيميائية لعينات المياه المجمعة (مستشفى الإمام علي ، مستشفى الشهيد الصدر ، مستشفى ابن البلدي للولادة والأطفال ، مستشفى فاطمة الزهراء للولادة) بالإضافة إلى تقدير تلوث المياه ببكتيريا القولون البرازية.

النتائج: أظهرت النتائج أن جميع المواصفات الفيزيوكيميائية لعينات المياه المأخوذة كانت ضمن المستوى المقبول الذي نشرته منظمة الصحة العالمية (WHO). ثم تم عزل البكتريا القولونية من أربع عينات من المياه ، وجميعها ليست ببكتريا قولونية برازية.

الاستنتاجات: يمكن الاستنتاج من الدراسة الحالية أن جودة المياه الموردة للمستشفيات التي شملتها الدراسة كانت ضمن المستوى القياسي للمواصفات الفيزيوكيميائية ، بالإضافة إلى أن جميع العينات كانت خالية من البكتيريا القولون البرازية ، مما يدل على أن المياه المزودة إلى المستشفيات غير ملوثة بالبراز.

الكلمات المفتاحية: مدينة بغداد ، بكتريا القولون البرازية ، المستشفيات العامة ، الكيمياء الفيزيائية ، مياه الشرب

البريد الإلكتروني: hamedazgair@gmail.com

تاريخ استلام البحث: ١٧ تموز ٢٠٢٢

تاريخ قبول البحث: ١ ايلول ٢٠٢٢

¹ مديرة تربية الرصافة الثالثة - وزارة التربية - بغداد - العراق

DJM

مجلة ديالى الطبية

تصدر عن كلية الطب - جامعة ديالى - العراق

هيئة التحرير

رئيس التحرير

أ.د. ناظم غزال نعمان

دكتوراه طب مجتمع - رئيس فرع طب الأسرة والمجتمع - كلية الطب - جامعة ديالى

drnadhimg@yahoo.com

مدير التحرير

أ.م.د. انفال شاکر متعب

دكتوراه بايولوجي جزئي - كلية الطب - جامعة ديالى

anfal_shaker@yahoo.com

هيئة التحرير

أ.د. سلوى شلش عبد الواحد

دكتوراه طب مجتمع - فرع طب الأسرة و المجتمع - كلية الطب - جامعة ديالى

s_sh_abdulwahid@yahoo.co.uk

أ.د. صالح مهدي سلمان

دكتوراه كيمياء عضوية - كلية الطب - جامعة ديالى

salih@medicine.uodiyala.edu.iq

أ.د. كاملة مرآك اوغلو

دكتوراه في طب الأسرة - كلية الطب - جامعة سلجوق - قونية - تركيا

أ.د. ایدن بيادلي

دكتوراه في طب العيون - جامعة أنقرة - تركيا

aydinbeyatli@hotmail.com

أ.د. مروان صالح النمر

دكتوراه في الصيدلة والمداواة - كلية الطب - جامعة ديالى

marwanalnimer@yahoo.com

أ.م.د. مقداد فؤاد عبد الكريم

بوردر جراحة - رئيس فرع الجراحة - كلية الطب - جامعة ديالى

muqdadfuad@yahoo.com

أ.م.د. فايز بن عبد الله الغفيلي

دكتوراه الأحياء الدقيقة الطبية - قسم علوم المختبرات الطبية - كلية العلوم

التطبيقية - جامعة المجمعة - المملكة العربية السعودية

F.alghofaily@mu.edu.sa

أ.م.د. مليكة أمير اوغلو

دكتوراه في صحة الطفل وأمراضه - كلية الطب بجامعة سلجوق ، قسم طب

الأطفال ، قسم أمراض الأطفال المعدية ، قونية ، تركيا

mkeser17@gmail.com

د. عمر ليث قاصد

FRCPath (المملكة المتحدة) IFCAP (الولايات المتحدة الأمريكية) -

استشاري أمراض الأنسجة بجامعة ليستر - المستشفيات الجامعية في ليستر -

المملكة المتحدة

Omer.qassid@uhl-tr.nhs.uk

أ.د. أسماعيل إبراهيم لطيف

دكتوراه مناعة سريرية - عميد كلية الطب - جامعة ديالى

ismail_6725@yahoo.com

أ.د. غانم مصطفى الشيخ

دكتوراه علوم عصبية - كلية امبريال الطبية - المملكة المتحدة

alsheikhg@gmail.com

أ.د. كريم علوان محمد

دكتوراه في علم الأمراض وطب العدلي - رئيس وحدة الأمراض والطب

العدلي في جامعة SEGi الماليزية

jashamy@yahoo.com

أ.د. طالب جواد كاظم

دكتوراه تشريح - فرع التشريح - كلية الطب - جامعة ديالى

talibjwd@yahoo.com

أ.د. سعد محمود حسين الاركي

بوردر جراحة عامة - كلية الطب - جامعة نيوكستل الطبية - ماليزيا

DrSaad1961@gmail.com

أ.د. عادل حسن محمد

بوردر طب باطني - فرع الطب الباطني - كلية الطب - جامعة ديالى

adil_alhusseiny@yahoo.com

أ.د. عامر داود مجيد

دكتوراه فيزياء طبية - معاون العميد للشؤون الادارية - كلية الطب - جامعة

ديالى

amer_dmk@yahoo.com

أ.د. زهير معروف حسين

دكتوراه كيمياء حيوية - فرع الكيمياء الحياتية - كلية الطب - جامعة ديالى

zuhair@medicine.uodiyala.edu.iq

أ.د. مهدي شمخي جبر

بوردر طب الاطفال - فرع طب الأطفال - كلية الطب - جامعة ديالى

meh_sh2000@yahoo.com

أ.د. سعد مصلى الدين عبد المجيد

دكتوراه فيزياء طبية - فرع الفلسفة - كلية الطب - جامعة ديالى

Su_m_ph_62@yahoo.com

تصميم المجلة

مبرمج. مروة راند حميد

marwa@djm.uodiyala.edu.iq

المراسلة: مكتب مجلة ديالى الطبية /كلية الطب/جامعة ديالى/ ص.ب(٢) مكتب بريد يعقوبية /يعقوبية /ديالى/ العراق.

البريد الإلكتروني: djm.diyala@yahoo.com editor@djm.uodiyala.edu.iq

